

BizPhone™

Handset Guide
2019 - 2023



vocal 

100% Aussie Telco since 2003



**SIMPLE.
POWERFUL.
SCALABLE.**

BizPhone is built with your business in mind.
It's easy to set-up and simple to use.
Join the future of business today!

YEALINK HANDSETS

Yealink SIP-T42S	4
Yealink W60P	5
Yealink SIP-T48S	6
Yealink CP860	7
Comparison Table	8

YEALINK T42S

The SIP-T42G IP phone provides six lines, attractive styling, dual port Gigabit Ethernet connectivity along with HD voice and wired headset support.



KEY FEATURES

- ✓ 2.7" 192x64 pixel greyscale screen
- ✓ Dual-port 10/100/1000Mbps
- ✓ 6 programmable line keys
- ✓ Power over Ethernet (PoE) support
- ✓ Wired headset support
- ✓ Wall mountable

DISPLAY	2.7" 192x64 pixel greyscale screen
CAMERA	No
PROGRAMMABLE LINE KEYS	6
HEADSET SUPPORT	RJ-9 port
USB	No
EXPANSION MODULE SUPPORT	No
HD VOICE	Yes
VIDEO CALLING	No
FULL DUPLEX SPEAKER	Yes
FIXED FEATURE KEYS	Voicemail/headset/mute/redial/speakerphone
3-WAY CONFERENCING	Yes
MESSAGE WAITING INDICATOR(MWI)	Yes
INTEGRATED SWITCH	Dual port 10/100/1000Mbps
WI-FI	No
POWER SOURCE	PoE/AC Power Supply Unit
POWER CONSUMPTION	1.1-2.3W (PSU); 1.7-3.2W (PoE)
WALL MOUNT	Yes (optional)

YEALINK W60P

The Yealink W60P is a cordless phone, providing mobility for users who are often away from their desk. The phone system is flexible, allowing workers to move around and continue their work while taking calls.



KEY FEATURES

- ✓ 1.8" 128x160 colour display
- ✓ 10 hours talk time, 100 hours standby time
- ✓ DECT radio coverage up to 50m indoors and 300m outdoors
- ✓ Supports up to 5 DECT cordless handsets per base station
- ✓ Extend range with optional DECT repeaters
- ✓ Desktop or wall mountable base unit
- ✓ Standard rechargeable batteries (AAA)

DISPLAY	1.8" 128x160 colour display
CAMERA	No
HEADSET SUPPORT	2.5mm wired (2.5mm jack)
NUMBER OF HANDSETS	1 Included, add up to 4 additional handsets
HD VOICE	Yes
VIDEO CALLING	No
STANDBY TIME	100h
TALK TIME	5 - 10h
FULL DUPLEX SPEAKER	Yes
3-WAY CONFERENCING	Yes
MESSAGE WAITING INDICATOR(MWI)	Yes
INTEGRATED SWITCH	Single port 10/100/1,000Mbps
POWER SOURCE	PoE/AC Power Supply Unit
INDOOR RANGE	Up to 50m
POWER CONSUMPTION	3.84W (PoE)
WALL MOUNT	Yes (optional)

YEALINK T48S

The T48S Digital IP phone provides a stunning 7-inch colour touch screen with functionality at the touch of a button. Along with eleven lines and support for both wired and wireless headsets, the T48S phone belongs on the desk of every professional.



KEY FEATURES

- ✓ 7" 800x480 pixel color touch screen
- ✓ Dual-port 10/100/1000Mbps
- ✓ Built in USB port, supports Bluetooth headset (through USB dongle)
- ✓ Wired/Wireless headset support
- ✓ Supports expansion modules
- ✓ Wall mountable
- ✓ 11 Programmable line keys

DISPLAY	7" 800x480 pixel colour touch screen
CAMERA	No
PROGRAMMABLE LINE KEYS	11
HEADSET SUPPORT	RJ-9 port, Bluetooth via optional dongle
USB	Bluetooth dongle only (optional)
EXPANSION MODULE SUPPORT	Up to 6 Expansion Modules
HD VOICE	Yes
VIDEO CALLING	No
FULL DUPLEX SPEAKER	Yes
FIXED FEATURE KEYS	Voicemail/headset/hold/mute/transfer/redial/speakerphone
3-WAY CONFERENCING	Yes
MESSAGE WAITING INDICATOR(MWI)	Yes
INTEGRATED SWITCH	Dual port 10/100/1000Mbps
WI-FI	No
POWER SOURCE	PoE/AC Power Supply Unit
POWER CONSUMPTION	2.0-6.4W (PSU); 2.4-10.5W (PoE)
WALL MOUNT	Yes (optional)

YEALINK CP860

Designed for small to medium-sized meeting rooms, the CP860 conference phone provides superior audio performance. With the optional wired microphone the unit can also be used in large conference rooms.



KEY FEATURES

- ✓ 192x64 LCD display with backlight
- ✓ High performance microphone array with echo cancellation
- ✓ 3 Metres, 360 degree voice pickup
Optional microphones to increase range
- ✓ Inbuilt 5-way conference bridge
Supports call recording
- ✓ Power over Ethernet (PoE) support

DISPLAY	192x64 LCD display with backlight
PROGRAMMABLE LINE KEYS	4
HEADSET SUPPORT	Wired via 3.5mm jack
USB	1 x USB 2.0
HD VOICE	Yes
FULL DUPLEX SPEAKER	Full Duplex with AEC (Acoustic Echo Cancellation)
ECHO CANCELLATION	Tail length up to 320ms
NOISE SUPPRESSION	Background Noise Suppression
INBUILT MICROPHONES	3 microphone array
ADDITIONAL MICROPHONES	Up to 2 (wired)
3-WAY CONFERENCING	Yes
INTEGRATED SWITCH	Single port 10/100Mbps
POWER SOURCE	PoE/AC Power Supply Unit
POWER CONSUMPTION	2.8-5.6W (PSU); 3.9-8.1W (PoE)
WALL MOUNT	No



Total Service Provider of



1300 796 700 | www.vocal.com.au

Vocal Channels Pty Limited
(ABN 44 131 307 858) PO Box 1020, Surry Hills NSW 2010

vocal

Hours: 9am - 6pm AEST Mon - Fri
support@vocal.com.au